

1. AMAR I. : Ototoxicité médicamenteuse. Th. Pharm., Paris XI, 1990, 89.
2. ANNIKO M., TAKADA A., SCHACHT J. : Comparative ototoxicities of gentamicin and netilmicin in three model systems. Am. J. Otolaryngol., 1982, 3(6), 422-433.
3. ARAN J.-M., CHAPPERT C., DULON D., ERRE J.-P., AUROUSSEAU C. : Uptake of amikacin by hair cells of the guinea pig cochlea and vestibule and ototoxicity : comparison with gentamicin. Hear. Res., 1995, 82, 179-183.
4. ARAN J.-M., ERRE J.-P., GUILHAUME A., AUROUSSEAU C. : The comparative ototoxicities of gentamicin, tobramycin and dibekacin in the guinea pig. A functional and morphological cochlear and vestibular study. Acta oto-laryngologica, 1982, (Suppl. 390), 1-30.
5. AU S., SCHACHT J., WEINER N. : Membrane effects of aminoglycoside antibiotics measured in liposomes containing the fluorescent probe, 1-anilino-8-naphtalene sulfonate. Biochim. Biophys. Acta., 1986, 862, 205-210.
6. AU S., WEINER N., SCHACHT J. : Membrane perturbation by aminoglycosides as a simple screen of their toxicity. Antimicrob. Agents Chemother., 1986, 30(3), 395-397.
7. BACINO C, PREZANT T.R., BU X., FOURNIER P., FISCHER-GHODSIAN N. : Susceptibility mutations in the mitochondrial small ribosomal RNA gene in aminoglycoside induced deafness. Pharmacogenetics, 1995, 5, 165-172.
8. BAMONTE F., BARBARA M., DIONISOTTI S., ONGINI E., MELONE G., TAKUMIDA M., WERSÄLL J. : Effects of different dosing regimens on aminoglycoside ototoxicity in guinea pigs. J. Drug Dev., 1988, 1(Suppl. 3), 97-108.
9. BATH A.P., WALSH R.M., BANCE M.L., RUTKA J.A. : Ototoxicity of topical gentamicin preparations. Laryngoscope, 1999, 109, 1088-1093.
10. BEGG E.J., BARCLAY M.L. : Aminoglycosides – 50 years on. Br. J. Clin. Pharmacol., 1995, 39, 597-603.
11. BERNARD P.A. : Freedom from ototoxicity in aminoglycoside treated neonates : a mistaken notion. Laryngoscope, 1981, 91(12), 1985-1994.
12. BHATTACHARYYA T.K., DAYAL V.S. : Potentiation of cochlear hair cell loss by acoustic stimulus and gentamicin in the guinea pig. Anat. Rec., 1991, 230, 136-145.
13. BLACK F.O., PESZNECKER S.C. : Vestibular toxicity : clinical considerations. Otolaryngol. Clin. North Am., 1993, 5, 713-736.
14. BOCK G.R., YATES G.K., MILLER J.J., MOORJANI P. : Effects of N-acetylcysteine on kanamycin ototoxicity in the guinea pig. Hear. Res., 1983, 9, 255-262.

15. BOOTHE D.M. : Drug therapy in cats : a therapeutic category approach. J. Am. Vet. Vet. Assoc., 1990, 196(10), 1659-1669.
16. BOURDEAU P. : Place des antibactériens dans la thérapeutique des otites externes des carnivores. Rec. Méd. Vét., 1990, 166(3), 277-281.
17. BOUSQUET E. : Effets secondaires des aminosides en médecine vétérinaire. Th. Méd. Vét., Alfort, 1986, 54.
18. BRASSEUR R., LAURENT G., RUYSSCHAERT J.-M., TULKENS P. : Interactions of aminoglycoside antibiotics with negatively charged lipid layers. Biochem. Pharmacol., 1984, 33(4), 629-637.
19. BRUMMETT R.E. : Animal models of aminoglycoside antibiotic ototoxicity. Rev. Infect. Dis., 1983, 5(Suppl. 2), S294-S303.
20. BRUMMETT R.E., HARRIS R.F., LINDGREEN J.A. : Detection of ototoxicity from drugs applied topically to the middle ear space. Laryngoscope, 1976, 86, 1177-1187.
21. BRUMMETT R.E., TRAYNOR J., BROWN R., HIMES D. : Cochlear damage resulting from kanamycin and furosemide. Acta Otolaryngol., 1975, 80, 86-92.
22. CALABRO F. : Ototoxicité des aminosides chez les Carnivores : étude bibliographique. Th. Méd. Vét., Toulouse, 1993, 68.
23. CASANO R.A., JOHNSON D.F., BYKHOVSKAYA Y., TORRICELLI F., BIGOZZI M., FISCHER-GHODSIAN N. : Inherited susceptibility to aminoglycoside ototoxicity : genetic heterogeneity and clinical implications. Am. J. Otolaryngol., 1999, 20(3), 151-156.
24. CHAMBERS H.F., SANDE M.A. : Aminosides. In : HARDMAN J.G., LIMBIRD L.E. *Les bases pharmacologiques de l'utilisation des médicaments*, 9^{ème} ed. - Goodman & Gilman, McGraw-Hill International Ltd, London, 1998, 1099-1116.
25. CHIODO A.A., ALBERTI P.W. : Experimental, clinical and preventive aspects of ototoxicity. Eur. Arch. Otorhinolaryngol., 1994, 251, 375-392.
26. CHRISTENSEN E.F., REIFFENSTEIN J.C., MADISSOO H. : Comparative ototoxicity of amikacin and gentamicin in cats. Antimicrob. Agents Chemother., 1977, 12(2), 178-184.
27. CLARK C.H. : Toxicity of aminoglycoside antibiotics. Mod. Vet. Practice, 1977, 58(7), 594-598.
28. CLERICI W.J., HENSLEY K., DIMARTINO D.L., BUTTERFIELD D.A. : Direct detection of ototoxicant-induced reactive oxygen species generation in cochlear explants. Hearing Res., 1996, 98, 116-124.

29. CONLON B.J., PERRY B.P., SMITH D.W. : Attenuation of neomycin ototoxicity by iron chelation. *Laryngoscope*, 1998, 108, 284-287.
30. CONLON B.J., SMITH D.W. : Supplemental iron exacerbates aminoglycoside ototoxicity in vivo. *Hear. Res.*, 1998, 115, 1-5.
31. CORTOPASSI G., HUTCHIN T. : A molecular and cellular hypothesis for aminoglycoside-induced deafness. *Hear. Res.*, 1994, 78, 27-30.
32. CRANN S.A., HUANG M.Y., McLAREN J.D., SCHACHT J. : Formation of a toxic metabolite from gentamicin by a hepatic cytosolic fraction. *Biochem. Pharmacol.*, 1992, 43(8), 1835-1839.
33. CRANN S.A., SCHACHT J. : Activation of aminoglycoside antibiotics to cytotoxins. *Audiol. Neuro-otol.*, 1996, 1, 80-85.
34. DE RECONDO J. : *Sémiologie du système nerveux. Du symptôme au diagnostic* – Flammarion, Paris, 1995, 314-323. (Médecine Sciences)
35. Dictionnaire des Médicaments Vétérinaires , 10^{ème} ed. - Editions du Point Vétérinaire, Maisons-Alfort, 1999.
36. Dictionnaire VIDAL - Editions du VIDAL, Paris, 2000.
37. DON BROWN R., FELDMAN A.M. : Pharmacology of hearing and ototoxicity. *Ann. Rev. Pharmacol. Toxicol.*, 1978, 18, 233-252.
38. DORMANS J.A.M.A., PETERS-VOLLEBERG G.W.M., DORTANT P.M., SPEIJERS G.J.A. : Ototoxicity of tobramycin in young adult and old rats. *Toxicol. Appl. Pharmacol.*, 1996, 136, 179-185.
39. DULON D., ARAN J.-M., ZAJIC G., SCHACHT J. : Comparative uptake of gentamicin, netilmicin and amikacin in the guinea pig cochlea and vestibule. *Antimicrob. Agents Chemother.*, 1986, 30(1), 96-100.
40. DULON D., ZAJIC G., ARAN J.-M., SCHACHT J. : Aminoglycoside antibiotics impair calcium entry but not viability and motility in isolated cochlear outer hair cells. *J. Neurosci. Res.*, 1989, 24, 338-346.
41. DUMAS G., BESSARD G., GAVEND M., CHARACHON R. : Risque de surdit e par instillations de gouttes auriculaires contenant des aminosides. *Th rapie*, 1980, 35(3), 357-363.
42. DUMAS G., CHARACHON R. : Ototoxicity of kanamycin in developing guinea pigs. An electrophysiological study. *Acta Otolaryngol.*, 1982, 94, 203-212.
43. DUSSAUGE J. : M ethodes d' tudes exp erimentales de l'ototoxicit e. *Th. M d. V t.*, Toulouse, 1991, 113.

44. ESCOUBET B., AMSALLEM P., FERRARY E., TRAN BA HUY P. : Prostaglandin synthesis by the cochlea of the guinea pig. Influence of aspirin, gentamicin and acoustic stimulation. *Prostaglandins*, 1985, 29(4), 589-599.
45. EVANS H.E., CHRISTENSEN G.C. : The ear. In : *Miller's anatomy of the dog*, 2^{ème} ed. - WB Saunders Co, Philadelphia, 1979, 1059-1072.
46. FEDERSPIL P., SCHÄTZLE W., TIESLER E. : Pharmacokinetics and ototoxicity of gentamicin, tobramycin and amikacin. *J. Infect. Dis.*, 1976, 134(Suppl.), 200-205.
47. FISCHER-GHODSIAN N., PREZANT T.R., BU X., ÖZTAS S. : Mitochondrial ribosomal RNA gene mutation in a patient with sporadic aminoglycoside ototoxicity. *Am. J. Otolaryngol.*, 1993, 14 (6), 399-403.
48. FISCHER-GHODSIAN N., PREZANT T.R., CHALTRAW W.E., WENDT K.A., NELSON R.A., ARNOS K.S., FALK R.E. : Mitochondrial gene mutation is a significant predisposing factor in aminoglycoside ototoxicity. *Am. J. Otolaryngol.* 1997, 18(3), 173-178.
49. FONTALIRANT F. : L'ototoxicité des médicaments. *Th. Pharm.*, Limoges, 1995, 340.
50. FOWLER N.G. : The ototoxicity of neomycin in the dog. *Vet. Rec.*, 1968, 82, 267-268.
51. FRANZ P., AHARINEJAD S., SINZINGER H., FIRBAS W. : Prostaglandin synthesis by the lateral cochlear wall under streptomycin influence. *Acta Otolaryngol. (Stockh.)*, 1992, 112, 767-772.
52. GABEV E., KASIANOWICZ J., ABBOTT T., Mc LAUGHLIN S. : Binding of neomycin to phosphatidylinositol 4,5-bisphosphate (PIP₂). *Biochim. Biophys. Acta*, 1989, 979, 105-112.
53. GALIFRET Y. : Acoustique physiologique. In : *Encyclopaedia Universalis*, Tome 1. 2^{ème} ed. – Encyclopaedia Universalis, Paris, 1993, 198-210.
54. GARDNER J.C., GOLIATH R., VILJOEN D., SELLARS S., CORTOPASSI G., HUTCHIN T., GREENBERG J., BEIGHTON P. : Familial streptomycin ototoxicity in a South African family : a mitochondrial disorder. *J. Med. Genet.*, 1997, 34, 904-906.
55. GARETZ S.L., ALTSCHULER R.A., SCHACHT J. : Attenuation of gentamicin ototoxicity by glutathione in the guinea pig in vivo. *Hear. Res.*, 1994, 77, 81-87.
56. GARETZ S.L., RHEE D.J., SCHACHT J. : Sulfhydryl compounds and antioxidants inhibit cytotoxicity to outer hair cells of a gentamicin metabolite in vitro. *Hear. Res.*, 1994, 77, 75-80.

57. GOVAERTS P.J., CLAES J., VAN DE HEYNING P.H., JORENS P.G., MARQUET J., DE BROE M.E. : Aminoglycoside-induced ototoxicity. *Toxicol. Lett.*, 1990, 52, 227-251.
58. GOYCOOLEA M.V., MUCHOW D., SCHACHERN P. : Experimental studies on round window structure : function and permeability. *Laryngoscope*, 1988, 98(Suppl. 44), 1-20.
59. HAMASAKI K., RANDO R.R. : Specific binding of aminoglycosides to a human rRNA construct based on a DNA polymorphism which causes aminoglycoside-induced deafness. *Biochemistry*, 1997, 36, 12323-12328.
60. HARADA T., NAGAI Y., IWAMORI M., NOMURA Y. : Ototoxicity of neomycin and its penetration through the round window membrane into the perilymph. *Ann. Otol. Rhinol. Laryngol.*, 1986, 95, 404-408.
61. HARADA Y., SUGIMOTO Y. : Metabolic disorder of otoconia after streptomycin intoxication. *Acta Otolaryngol.*, 1977, 84, 65-71.
62. HAWKINS J.E., JOHANSSON L.-G., ARAN J.-M. : Comparative tests of gentamicin ototoxicity. *J. Infect. Dis.*, 1969, 119, 417-426.
63. HENLEY C.M., GERHARDT H.-J., SCHACHT J. : Inhibition of inner ear ornithine decarboxylase by neomycin in-vitro. *Brain Res. Bull.*, 1987, 19, 695-698.
64. HENLEY C.M., RYBAK L.P. : Ototoxicity in developing mammals. *Brain Res. Rev.*, 1995, 20(1), 68-90.
65. HENLEY C.M., SCHACHT J. : Pharmacokinetics of aminoglycoside antibiotics in blood, inner-ear fluids and tissues and their relationship to ototoxicity. *Audiology*, 1988, 27, 137-146.
66. HIEL H., BENNANI H., ERRE J.-P., AUROUSSEAU C., ARAN J.-M. : Kinetics of gentamicin in cochlear hair cells after chronic treatment. *Acta Otolaryngol. (Stockh.)*, 1992, 112, 272-277.
67. HINOJOSA R., LERNER S.A. : Cochlear neural degeneration without hair cell loss in two patients with aminoglycoside ototoxicity. *J. Infect. Dis.*, 1987, 156(3), 449-455.
68. HOFFMAN D.W., JONES-KING K.L., WHITWORTH C.A., RYBAK L.P. : Potentiation of ototoxicity by glutathione depletion. *Ann. Otol. Rhinol. Laryngol.*, 1988, 97, 36-41.
69. HOFFMAN D.W., WHITWORTH C.A., JONES K.L., RYBAK L.P. : Nutritional status, glutathione levels and ototoxicity of loop diuretics and aminoglycoside antibiotics. *Hear. Res.*, 1987, 31, 217-222.

70. HU D.-N., QIU W.-Q., WU B.-T., FANG L.-Z., ZHOU F., GU Y.-P., ZHANG Q.-H., YAN J.-H., DING Y.-Q., WONG H. : Genetic aspects of antibiotic induced deafness : mitochondrial inheritance. *J. Med. Genet.*, 1991, 28, 79-83.
71. HUANG M.Y., SCHACHT J. : Formation of a cytotoxic metabolite from gentamicin by liver. *Biochem. Pharmacol.*, 1990, 40(11), R11-R14.
72. HUI Y., PARK A., CRYSDALE W.S., FORTE V. : Ototoxicity from ototopical aminoglycosides. *J. Otolaryngol.*, 1997, 26(1), 53-56.
73. HUIZING E.H., DE GROOT J.C.M.J. : Human cochlear pathology in aminoglycoside ototoxicity. A review. *Acta Otolaryngol. (Stockh.)*, 1987, (Suppl. 436), 117-125.
74. HUTCHIN T., CORTOPASSI G. : Proposed molecular and cellular mechanism for aminoglycoside ototoxicity. *Antimicrob. Agents Chemother.*, 1994, 38(11), 2517-2520.
75. JOHNSONBAUGH R.E., DREXLER H.G., LIGHT I.J., SUTHERLAND J.M. : Familial occurrence of drug-induced hearing loss. *Am. J. Dis. Child.*, 1974, 127, 245-247.
76. JOSEPH-ENRIQUEZ B., KOLF-CLAUW M. : Toxicité des anti-infectieux chez les animaux de compagnie. *Rec. Méd. Vét.*, 1990, 166(3), 225-237.
77. KAUS S. : The influence of calcium on the ototoxicity of aminoglycosides. *Acta Otolaryngol. (Stockh.)*, 1992, 112, 83-87.
78. KECK G. : Toxicité et effets secondaires des antibiotiques aminosides. *Sem. Vét.*, 1983, 281, 4.
79. KOHONEN A., TARKKANEN J. : Cochlear damage from ototoxic antibiotics by intratympanic application. *Acta Otolaryngol. (Stockh.)*, 1969, 68, 90-97.
80. KOLB E. : L'ouïe. In : *Physiologie des animaux domestiques* – Vigot Frères, Paris, 1975, 909-922.
81. KOTECHA B., RICHARDSON G.P. : Ototoxicity in vitro : effects of neomycin, gentamicin, dihydrostreptomycin, amikacin, spectinomycin, neamine, spermine and poly-L-lysine. *Hear. Res.*, 1994, 73, 173-184.
82. KUHWEIDE R. : Experimental evidence of ototoxicity of ear drops. A review of the literature. *Acta Oto-rhino-laryngologica Belg.*, 1995, 49, 293-298.
83. LAUTERMANN J., CRANN S.A., McLAREN J., SCHACHT J. : Glutathione-dependent antioxidant systems in the mammalian inner ear : effects of aging, ototoxic drugs and noise. *Hear. Res.*, 1997, 114, 75-82.
84. LAUTERMANN J., McLAREN J., SCHACHT J. : Glutathione protection against gentamicin ototoxicity depends on nutritional status. *Hear. Res.*, 1995, 86, 15-24.

85. LEFEBVRE H.-P., DOSSIN O., BRAUN J.-P., TOUTAIN P.-L. : Utilisation du médicament chez l'insuffisant rénal. *Point Vét.*, 1995, 26(166), 1125-1132.
86. LESTIENNE F. : Equilibration. In : *Encyclopaedia Universalis*, Tome 8. 2^{ème} ed. – Encyclopaedia Universalis, Paris, 1993, 597-601.
87. LINDER T.E., ZWICKY S., BRÄNDLE P. : Ototoxicity of ear drops : a clinical perspective. *Am. J. Otol.*, 1995, 16(5), 653-657.
88. LODHI S., WEINER N.D., MECHIGIAN I., SCHACHT J. : Ototoxicity of aminoglycosides correlated with their action on monomolecular films of polyphosphoinositides. *Biochem. Pharmacol.*, 1980, 29, 597-601.
89. LODHI S., WEINER N.D., SCHACHT J. : Interactions of neomycin with monomolecular films of polyphosphoinositides and other lipids. *Biochim. Biophys. Acta*, 1979, 557, 1-8.
90. LOPEZ I., HONRUBIA V., LEE S.-C., LI G., BEYKIRCH K. : Hair cell recovery in the chinchilla crista ampullaris after gentamicin treatment : a quantitative approach. *Otolaryngol. Head Neck Surg.*, 1998, 119, 255-262.
91. MANSFIELD P.D. : Ototoxicity in dogs and cats. *Compendium on Continuing Education for the Practicing Veterinarian*, 1990, 12(3), 331-337.
92. MARAIS J., RUTKA J.A. : Ototoxicity and topical eardrops. *Clin. Otolaryngol.*, 1998, 23, 360-367.
93. MATHOG R.H., KLEIN W.J. : Ototoxicity of ethacrynic acid and aminoglycoside antibiotics in uremia. *New England J. Med.*, 1969, 280(22), 1223-1224.
94. MATZ G.J. : Aminoglycoside cochlear ototoxicity. *Otolaryngol. Clin. North Am.*, 1993, 26(5), 705-712.
95. McCORMICK G.C., WEINBERG E., SZOT R.J., SCHWARTZ E. : Comparative ototoxicity of netilmicin, gentamicin and tobramycin in cats. *Toxicol. Appl. Pharmacol.*, 1985, 77, 479-489.
96. McGEE T.M., OLSZEWSKI J. : Streptomycin sulfate and dihydrostreptomycin toxicity. *Arch. Otolaryngol.*, 1962, 75, 295-311.
97. McGEE T.M., WEBSTER J., WILLIAMS M. : Histological and functional changes in the ears of cats after subcutaneous administration of gentamicin. *J. Infect. Dis.*, 1969, 119, 432-439.
98. McLEOD P., SAUVAGEOT F. : L'audition. In : *Bases neurophysiologiques de l'évaluation sensorielle des produits alimentaires* - Les cahiers de l'ENS BANA, Paris, 1986, 5, 21-45.

99. MEALEY K.L., BOOTHE D.M. : Nephrotoxicosis associated with topical administration of gentamicin in a cat. *J. Am. Vet. Med. Assoc.*, 1994, 204(12), 1919-1921.
100. MERCHANT S.R. : Ototoxicity. *Ear, Nose and Throat*, 1994, 24(5), 971-979.
101. MOORE R.D., SMITH C.R., LIETMAN P.S. : Risk factors for the development of auditory toxicity in patients receiving aminoglycosides. *J. Infect. Dis.*, 1984, 149(1), 23-30.
102. MORIZONO T. : Otological agents : ototoxicity in animal studies. *Ann. Otol. Rhinol. Laryngol. Suppl.* 1988, 97(131), 28-30.
103. MORIZONO T., JOHNSTONE B.M. : Ototoxicity of topically applied gentamicin using a statistical analysis of electrophysiological measurement. *Acta Otolaryngol.*, 1975, 80, 389-393.
104. NAKAGAWA T., YAMANE H., SHIBATA S., NAKAI Y. : Gentamicin ototoxicity induced apoptosis of the vestibular hair cells of guinea pigs. *Eur. Arch. Otorhinolaryngol.*, 1997, 254, 9-14.
105. NISHIDA I., TAKUMIDA M. : Attenuation of aminoglycoside ototoxicity by glutathione. *ORL*, 1996, 58, 68-73.
106. ORSULAKOVA A., STOCKHORST E., SCHACHT J. : Effect of neomycin on phosphoinositide labelling and calcium binding in guinea pig inner ear tissues in vivo and in vitro. *J. Neurochem.*, 1976, 26, 285-290.
107. PARRAVICINI L., ARPINI A., BAMONTE F., MARZANATTI M., ONGINI E. : Comparative ototoxicity of amikacin, gentamicin, netilmicin and tobramycin in guinea pigs. *Toxicol. Appl. Pharmacol.*, 1982, 65, 222-230.
108. PEILLERON P. : Ototoxicité iatrogène : cas particulier des aminosides. *Th. Pharm.*, Nancy I, 1988.
109. PICKRELL J.A., OEHME F.W., CASH W.C. : Ototoxicity in dogs and cats. *Seminars Vet. Med. Surg. (Small Animal)*, 1993, 8(1), 42-49.
110. PIERSON M.G., MOLLER A.R. : Prophylaxis of kanamycin-induced ototoxicity by a radioprotectant. *Hear. Res.*, 1981, 4, 79-97.
111. PRAZIC M., SALAJ B., SUBOTIC R. : Familial sensitivity to streptomycin. *J. Laryngol. Otol.*, 1964, 78, 1037-1043.
112. PREZANT T.R., AGAPIAN J.V., BOHLMAN M.C., BU X., OZTAS S., QIU W.-Q., ARNOS K.S., CORTOPASSI G.A., JABER L., ROTTER J.I., SHOHAT M., FISCHEL-GHODSIAN N. : Mitochondrial ribosomal RNA mutation associated with both antibiotic-induced and non-syndromic deafness. *Nature Genetics*, 1993, 4, 289-294.

113. PRIUSKA E.M., SCHACHT J. : Formation of free radicals by gentamicin and iron and evidence for an iron/gentamicin complex. *Biochem. Pharmacol.*, 1995, 50(11), 1749-1752.
114. PRIUSKA E.M., SCHACHT J. : Mechanism and prevention of aminoglycoside ototoxicity : outer hair cells as targets and tools. *Ear, Nose and Throat J.*, 1997, 76(3), 164-171.
115. PUYT J.D. : Antibiothérapie. Pharmacologie-Toxicologie, 0100. In : *Encyclopédie Vétérinaire* Tome 5 - Editions Scientifiques et Médicales Elsevier SAS, Paris, 2000.
116. PUYT J.D. : Chimiothérapie anti-infectieuse et antiparasitaire. Cours de deuxième année de l'Ecole Nationale Vétérinaire de Nantes, 1994-1995.
117. REICHE R. : Drug disposition in the newborn. In : *Pharmacologie et toxicologie vétérinaires* (2 ; 1982 - 09 - 13/17 ; Toulouse) - Institut National de la Recherche Agronomique, Paris, 1982, 455-458. (Colloques de l'INRA, 8).
118. RENARD N. : Antibiothérapie raisonnée chez le chien. Th. Méd. Vét., Nantes, 1996.
119. RICHARDSON G.P., RUSSELL I.J. : Cochlear cultures as a model system for studying aminoglycoside induced ototoxicity. *Hear. Res.*, 1991, 53, 293-311.
120. RIVIERE J.E., COPPOC G.L. : Pharmacokinetics of gentamicin in the juvenile dog. *Am. J. Vet. Res.*, 1981, 42(9), 1621-1623.
121. RIVIERE J.E., SPOO J.W. : Aminoglycoside antibiotics. In : *Veterinary Pharmacology and Therapeutics*, 7^{ème} éd. - Adams H.R., Iowa State University Press, Ames, Iowa, 1995, 797-819.
122. ROLAND P.S. : Clinical ototoxicity of topical antibiotic drops. *Otolaryngol. Head Neck Surg.*, 1994, 110, 598-602.
123. SASTRASINH M., KNAUSS T.C., WEINBERG J.M., HUMES H.D. : Identification of the aminoglycoside binding site in rat renal brush border membranes. *J. Pharmacol. Exp. Therapeutics*, 1982, 222(2), 350-358.
124. SCHACHT J. : Aminoglycoside ototoxicity : prevention in sight ? *Otolaryngol. Head Neck Surg.*, 1998, 118, 674-677.
125. SCHACHT J. : Biochemical basis of aminoglycoside ototoxicity. *Otolaryn. Clin. North Am.*, 1993, 26(5), 845-856.
126. SCHACHT J. : Inhibition by neomycin of polyphosphoinositide turnover in subcellular fractions of guinea pig cerebral cortex in vitro. *J. Neurochem.*, 1976, 27, 1119-1124.

127. SCHACHT J. : Isolation of an aminoglycoside receptor from guinea pig inner ear tissues and kidney. *Arch. Otorhinolaryngol.*, 1979, 224, 129-134.
128. SCHACHT J. : Molecular mechanisms of drug-induced hearing loss. *Hear. Res.*, 1986, 22, 297-304.
129. SCHIBECI A., SCHACHT J. : Action of neomycin on the metabolism of polyphosphoinositides in the guinea pig kidney. *Biochem. Pharmacol.*, 1977, 26, 1769-1774.
130. SCOTT P.M.J., GRIFFITHS M.V. : A clinical review of ototoxicity. *Clin. Otolaryngol.*, 1994, 19, 3-8.
131. SELIGMANN H., PODOSHIN L., BEN-DAVID J., FRADIS M., GOLDSHER M. : Drug-induced tinnitus and other hearing disorders. *Drug Safety*, 1996, 14(3), 198-212.
132. SENGER E., KECK G. : Toxicité des antibiotiques aminosides (tableau synoptique). *Notes de toxicologie vétérinaire*, 1981, 4(2), 117-118.
133. SMITH B.M., MYERS M.G. : The penetration of gentamicin and neomycin into perilymph across the round window membrane. *Otolaryngol. Head Neck Surg.*, 1979, 87, 888-891.
134. SONG B.-B., ANDERSON D.J., SCHACHT J. : Protection from gentamicin ototoxicity by iron chelators in guinea pig in vivo. *J. Pharmacol. Exp. Ther.*, 1997, 282(1), 369-377.
135. SONG B.-B., SCHACHT J. : Variable efficacy of radical scavengers and iron chelators to attenuate gentamicin ototoxicity in guinea pig in vivo. *Hear. Res.*, 1996, 94, 87-93.
136. STEBBINS W.C., McGINN C.S., FEITOSA A.G., MOODY D.B., PROSEN C.A., SERAFIN J.V. : Animal models in the study of ototoxic hearing loss. In : LERNER S.A., MATZ G.L., HAWKINS J.E. (eds) : *Aminoglycoside ototoxicity* – Boston, Little Brown, 1981, 5-25.
137. STEBBINS W.C., MOODY D.B., HAWKINS J.E., JOHNSON L.G., NORAT M.A. : The species-specific nature of the ototoxicity of dihydrostreptomycin in the patas monkey. *Neurotoxicology*, 1987, 8(1), 33-44.
138. STOCKHORST E., SCHACHT J. : Radioactive labeling of phospholipids and proteins by cochlear perfusion in the guinea pig and the effect of neomycin. *Acta Otolaryngol.*, 1977, 83, 401-409.
139. STRAIN G.M., MERCHANT S.R., NEER M.T., TEDFORD B.L. : Ototoxicity assessment of a gentamicin sulfate otic preparation in dogs. *Am. J. Vet. Res.*, 1995, 56(4), 532-538.

140. STUPP H.F. : Untersuchung der Antibiotikaspiegel in den Innenohrflüssigkeiten und ihre Bedeutung für die spezifische Ototoxizität der Aminoglykosidantibiotika. Acta Otolaryngol. (Stockh.), 1970, 262(Suppl.), 1-85.
141. STUPP H.F., KUPPER K., LAGLER F., SOUS H., QUANTE M. : Inner ear concentrations and ototoxicity of different antibiotics in local and systemic application. Audiology, 1973, 12, 350-363.
142. TACHIBANA M., ANNIKO M., SCHACHT J. : Effects of perilymphatically perfused gentamicin on microphonic potential, lipid labeling and morphology of cochlear tissues. Acta Otolaryngol., 1983, 96, 31-38.
143. TAKADA A., BLEDSOE S., SCHACHT J. : An energy-dependent step in aminoglycoside ototoxicity: prevention of gentamicin ototoxicity during reduced endolymphatic potential. Hear. Res., 1985, 19, 245-251.
144. TAKADA A., SCHACHT J. : Calcium antagonism and reversibility of gentamicin-induced loss of cochlear microphonics in the guinea pig. Hear. Res., 1982, 8, 179-186.
145. TANGE R.A., CONIJN E.A.J.G., VAN ZEIJL L.G.P.M., HUIZING E.H. : Pattern of gentamicin-induced cochlear degeneration in the guinea pig. A morphological and electrophysiological study. Arch. Otorhinolaryngol., 1982, 236, 173-184.
146. THOMAS R.J. : Neurotoxicity of antibacterial therapy. South. Med. J., 1994, 87(9), 869-874.
147. TRAN BA HUY P. : Ototoxicité des aminoglycosides. Méd. Sci., 1988, 4(1), 36-41.
148. TRAN BA HUY P., BERNARD P., SCHACHT J. : Kinetics of gentamicin uptake and release in the rat. Comparison of inner ear tissues and fluids with other organs. J. Clin. Invest., 1986, 77, 1492-1500.
149. TRAN BA HUY P., MANUEL C., MEULEMANS A., STERKERS O., AMIEL C. : Pharmacokinetics of gentamicin in perilymph and endolymph of the rat as determined by radioimmunoassay. J. Infect. Dis., 1981, 143(3), 476-486.
150. VOLDRICH L. : The kinetics of streptomycin, kanamycin and neomycin in the inner ear. Acta Otolaryngol. (Stockh.), 1965, 60, 243-248.
151. WAITZ J.A., MOSS E.L., WEINSTEIN M.J. : Aspects of the chronic toxicity of gentamicin sulfate in cats. J. Infect. Dis., 1971, 124(Suppl.), S125-S129.
152. WANG B.M., WEINER N.D., TAKADA A., SCHACHT J. : Characterization of aminoglycoside-lipid interactions and development of a refined model for ototoxicity testing. Biochem. Pharmacol., 1984, 33(20), 3257-3262.

153. WANG Z., LIOU L. : Auditory effect of kanamycin given to newborn guinea pigs whose mothers received kanamycin during pregnancy. *Ann. Otol. Rhinol. Laryngol.*, 1994, 103, 983-985.
154. WEBSTER J.C., CARROLL R., BENITEZ J.T., McGEE T.M : Ototoxicity of topical gentamicin in the cat. *J. Infect. Dis.*, 1971, 174(Suppl.), S138-S144.
155. WERSÄLL J. : Recent otological evaluation of aminoglycoside antibiotics. *J. Antimicrob. Chemother.*, 1984, 13, Suppl. A, 31-36.
156. WEST B.A., BRUMMETT R.E., HIMES D.L. : Interaction of kanamycin and ethacrinic acid. *Arch. Otolaryngol.*, 1973, 98, 32-37.
157. WILLIAMS S.E., SMITH D.E., SCHACHT J. : Characteristics of gentamicin uptake in the isolated crista ampullaris of the inner ear of the guinea pig. *Biochem. Pharmacol.*, 1987, 36(1), 89-95.
158. WILLIAMS S.E., ZENNER H.-P., SCHACHT J. : Three molecular steps of aminoglycoside ototoxicity demonstrated in outer hair cells. *Hear. Res.*, 1987, 30, 11-18.
159. WONG D.L.H., RUTKA J.A. : Do aminoglycoside otic preparations cause ototoxicity in the presence of tympanic membrane perforations ? *Otolaryngol. Head Neck Surg.*, 1997, 116, 404-410.
160. WRIGHT C.G., MEYERHOFF W.L., HALAMA A.R. : Ototoxicity of neomycin and polymyxin B following middle ear application in the chinchilla and baboon. *Am. J. Otol.*, 1987, 8(6), 495-499.
161. WRIGHT S. : L'oreille. In : *Physiologie appliquée à la médecine*, 2^{ème} éd. - Flammarion, Paris, 1980, 418-424. (Médecine Sciences)